



Oasis Irrigation Equipment Company Limited  
The "Rain Maker"

Oasis Irrigation Equipment Co Ltd, P-6, Scheme-VI, M(S), C.I.T, Kolkata-700054  
Phone: +91-33 23648812 Email: [info@oasisirrigation.in](mailto:info@oasisirrigation.in)



**Hooded Body Dust Suppression Fog Type Misting Nozzle**

**Salient Features:**

- End Connection – ½" BSP (Female)
- MOC of Nozzle - Brass
- Body made of SS304
- Filter made of SS304
- Easily Cleanable
- Working Pressure 3-8 Bar
- Pattern of Spray – Hollow Cone
- Spray Type- Fine Mist
- Spray Angle 60-80°

Oasis Irrigation Equipment Co Ltd, P-6, Scheme-VI, M(S), C.I.T, Kolkata-700054  
Phone: +91-3323648812 Email: [info@oasisirrigation.in](mailto:info@oasisirrigation.in)



**Dust Suppression Application:**

- Transfer Points
- Chrusher Hopper
- Tracker Hopper
- Truck Tippler
- Wagon Tippler
- Discharge Chute



Performance Data				
Sl No	Nozzle (mm)	Pressure (kg/cm <sup>2</sup> )	Angle (Degree)	Discharge (GPH)
1	OS5	7.0	60-80	5
2	O10	7.0	60-80	10
3	OS15	7.0	60-80	15
4	OS20	7.0	60-80	20

- Performance is based on ideal conditions of Temperature, Wind Velocity & Humidity



Eyeball Type misting Jet Nozzle with Housing in operation at Tracker Hopper



Eyeball Type misting Jet Nozzle with Housing in operation at Tracker Hopper