

Oasis Irrigation Equipment Co Ltd, P-6, Scheme-VI, M(S), C.I.T, Kolkata-700054

Phone: +91-3323648812 Email: info@oasisirrigation.in

Website: www.oasisirrigation.in

Oasis Filtration Kit

We are engaged in Manufacturing of Combined Filter Kit for our customers, which is highly appreciated for its compact size and high effectiveness in cleaning. Easily installable and detachable, this filter is offered through us at cost effective prices.

It is a combination of following filters:

- 1. Hydro Cyclone Filter
- 2. Sand Filter
- 3. Disc / Screen Filter

Oasis Hydro Cyclone Filter Salient Features:

- 1. Body is made of reinforced Engineering Plastic for durability
- 2. It is designed to create maximum centrifugal action
- 3. Dirt can be easily flushed out by drain port
- 4. Collector chamber can be cleaned by opening collector cover
- 5. Easy to install and low maintenance
- 6. Specially designed Stainless Steel part inserted in the bottom of cone to avoid wear due to strong sand vortex.
- 7. Plated Steel Clamp used to open/close collector cover from collector chamber

Oasis Screen Filter (Industrial Plastic) Salient Features:

- 1. Available in 3" BSP Male Threaded Connection
- 2. Brass insert port for installation of Pressure Gauge
- 3. Body made of reinforced Polypropylene for durability
- 4. Corrosion resistant
- 5. Easy to install
- 6. Low maintenance
- 7. Wide range of flow rate
- 8. Three Way Valve Assembly for Easy Monitoring of Inlet

Oasis Sand Gravel Filter Salient Features:

- 1. Gravel filters are used for the primary filtration of water from reservoirs, dams, open canals, rivers, sewage water and other types of contaminated water.
- 2. This Filtration Systems consist of individual filters according to water output and filtration requirements.
- 3. Body is made of Mild Steel powder coated for long life.

Features:

- Hydro Cyclone Filters are made for sedimentation of Heavy Sand Particles
- Sand Filters are used for capturing suspended particles
- Disc / Screen Filter are used to filter the medium with a filtration size upto 130 Microns
- Capacity: 50m3/hr.
- All filters are mounted on sturdy MS Duly Painted Channel

